Tenderers should quote their offer per running foot.

The materials will be available for inspection at the Central Stores, near Binny Mills, Bangalore, on all working days except Sundays and other Government Holidays.

Tenders should be superscribed "Tender for the purchase of secondhand steel poles."

The undersigned reserves the right to refuse the highest or any other tender, whole or in part, without assigning any reasons therefor.

The deposit of the successful tenderer will be retained and he will be required to execute the agreement and furnish immediately a further deposit of half the amount of the value of the materials offered to be sold.

Payment in full will have to be made before the materials are removed from the Stores and the earnest money and the further deposit will be adjusted towards the close of the whole transaction.

The materials will have to be taken delivery of within a fortnight from the date of acceptance of the tender. The purchaser will have to make his own arrangements to remove them.

Failure to comply with the above conditions will entail the forfeiture of the amount deposited together with the earnest money and the materials will be resold at the risk of the tenderer, who will have no claim to profits, if any, that might accrue in the re-sale, but will have to reimburse the department all losses entailed in the resale.

Arrangements will be made to refund the earnest money of the unsuccessful tenderers soon after the tenders are opened and decided upon, duly observing all formalities.

A. C. MUNIRATNAM,
For *Chief Electrical Engineer.*

Notification No. G. N. 27 of 29th July 1938.

To

The Firms dealing in Hardware and Electrical Materials.

GENTLEMEN,

Please be good enough to quote your lowest rates for the following materials to be delivered f.o.r., Mysore, and the earliest time of delivery :—

(1) Heavy gauge 1" brass pipe or conduit with coupling at one end, threaded at both ends, in standard lengths of 16 ft. each	1,600 ft.
Note.—Rates should be quoted on length basis (*i.e.*, so much per running foot) and not on weight basis.	
(2) Full bends for the above 1" brass pipe or conduit	60 Nos.
(3) Spare couplings for the above 1" brass pipe or conduit	50 ,,
(4) No. 10 B. & S. Insulated wire, stranded, V.I.R. Insulated, 2,500-megohm grade for 600-volts, A.C. pressure	3,500 ft.
(5) Electrolier Wire No. 18 S.W.G., stranded, V.I.R. Insulated, 600-megohm grade for 250-volts A.C.	2,000 ft.
(6) Lead-covered cable No. 10 B. & S., twin conductor, V.I.R., insulated, stranded, for 600-volts A.C.	900 ft.

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources.

The undersigned reserves to himself the right to refuse the lowest or any tender whole or part, without assigning any reason therefor.

The tenders should be superscribed "Tender for hardware and electrical materials" due at 12 NOON on 20th August 1938" and delivered in the office of the Chief Electrical Engineer on or before the due date.

Yours faithfully,
A. C. MUNIRATNAM,
For *Chief Electrical Engineer.*

OFFICE OF THE SUPERINTENDENT, POWER AND LIGHT, MYSORE.

Notification dated 27th July 1938.

Sealed tenders in triplicate will be received at the Office of the Superintendent, Power and Lighting, Mysore, superscribed with the name of the work mentioned below.

2. The plans connected with the work may be seen at the office of the undersigned at all working hours. The copies if required will be made available on payment of Rs. 3 per set.

3. The tenders should be drawn up strictly in accordance with the specifications furnished, at the same time, writing out the rates at which each item of work is executed in figures as well as in words, failing which no cognisance is taken of the tender. No items other than those noted in

the statement should be included in the tender, as the items include provision for all sundries, repairs to damaged masonry and painting the casings, boards, etc.

4. The materials to be used on the work should be of best manufacture conforming to the departmental wiring rules and the latest B.S. or A.I.E.E. specifications and mention should clearly be made of the manufacture and catalogue numbers of the material offered. The T.W. planks, etc., to be used in the work should be well seasoned and free from cracks, knots and white wood. The maximum width of the plank to be used to boards, etc., should not be less than 12 inches unless it is to make up the difference in size of the board required. In all cases lap joints should be adopted. In no case joints would be permitted to be put up diagonally for the boards.

5. The undersigned reserves the right to reject the tenders without assigning any reasons therefor.

6. The successful tenderer will be required to deposit an earnest money of Rs. 150 (One hundred and fifty only) in cash and execute an agreement within a week from the date of intimation as to the acceptance of the tender, failing which the tender will be disposed of otherwise at his risk.

7. In executing the work, the wiring rules of this Department as well as those of the Institution of Electrical Engineers should be strictly followed.

8. The control switches, etc., should be fixed in inconspicuous corners and grouped wherever required. The successful tenderer should be prepared to carry out any change in the location of the lighting fixtures, control points, etc., that might be suggested by the undersigned, during the course of work, without any extra cost, if the estimate is not materially affected by such deviations. The undersigned reserves the right also to reject the work in full or part if he finds it not executed in terms of the specification.

9. Successful tenderer should send a board fitted with samples of all the materials offered in connection with the work to the undersigned and start the work only after obtaining approval for use of the same on the work.

10. It will be obligatory on the part of the tenderer to attend to any major troubles arising due to bad workmanship and other causes within the period of first twelve months from the date of handing over the installation to this department free of any charges.

11. *Name of work.*—Renovating and modifying the lighting installations of Lansdowne Buildings, Mysore.

12. The last date and time for receiving the tenders is 13th August 1938 at 3 P.M.

13. The time and date for opening the tenders in public is 13th August 1938 at 4 P.M.

14. A period of one calendar month is the time within which the work is expected to be completed in all respects from the date of acceptance of the tender failing which a penalty of Rs. 10 for each day of delay over and above the stipulated time will be enforced.

15. *Details of work.*—The quantities given in the statement below are not guaranteed and subject to change during the execution of the work.

	Name of materials, etc.	*Quantity*
1.	Supplying and running mains in 1¼″ W.I. pipe with necessary bends, clamps, etc., using No. 19/·052 SWG insulated wire and accessories	150 ft.
2.	Supplying, fixing and wiring varnished teakwood board 27″×24″×1″ with batten and rear board, equipping the same with a D.P.S.T. 60 amp. iron clad switch with fuses, one D.P.S.T. 30 amp. iron clad switch with fuses using Nos. 19/·052, 7/·044 and 7/·036 SWG insulated wires and accessories	No. 3
3.	Supplying and running sub mains in the ground floor in 1″ braized conduit with a rectangular 3-way junction box in each shop using saddles and No. 7/·044 SWG insulated wire and accessories	800 R.ft.
4.	Do in the first floor in ¾″ braized conduit with a rectangular 3-way junction box in each shop using saddle, No. 7/·036 SWG insulated wire and accessories	800 ,,
5.	Supplying and running sub mains from the mains to the distribution board in ⅝″ braized conduit using reducing nipples, saddles and No. 3/·036 SWG insulated wire and accessories	400 ,,
6.	Supplying, fixing and wiring T.W. distribution boards 15″×12″×1″ with batten and rear board equipping the same with a D.P.S.T. iron clad switch 10 amp. with fuses using No. 3/·036 SWG insulated wire and accessories	74
7.	Supplying, fixing and re-wiring the existing lighting outlets, drops, pendants, and water-tight fitting in 2″×1″ teakwood casing treated with two coats of shellac varnish, using twin flexible wire No. 3/·036 SWG insulated wire and accessories (the available ceiling rose, control switch and lamp holders are permitted to be made use of)	130 No.

8. Supplying, firing and wiring in teakwood casing with capping 2″×1″ treated with two coats of shellac varnish for drop lights complete with ceiling rose, flexible cord, B.C.C.G. holder, 5 amp. tumbler switch using No. 3/·036 SWG insulated wire and accessories .. .. 19 No.

9. Supplying, fixing teakwood box 27″×24″×10″ made of ¾″ planks on the main boards provided with double panelled shutters, 6 lever galvanized lock with duplicate keys and accessories .. .. 3 „

10. Earthing the conduit, iron clad switches and mains proper .. .. Item

11. Dismantling the existing mains, distribution boards, etc. .. .. „

N.B.—All the released materials should be handed over to this department.

Notification dated the 30th July 1938.

Sealed tenders in triplicate will be received at the Office of the Superintendent, Power and Lighting, Mysore; superscribed with the name of the work mentioned below.

2. The plans connected with the work may be seen at the Office of the undersigned at all working hours. The copies if required will be made available on payment of Rs. 3 per set.

3. The tenders should be drawn up strictly in accordance with the specifications furnished, at the same time writing out the rates at which each item of work is executed in figures as well as in words, failing which no cognisance is taken of the tender. No items other than those noted in the statement should be included in the tender as the items include provision for all sundries, repairs to damaged masonry and painting the casings, boards, lead cables, etc.

4. The materials to be used on the work should be of best manufacture conforming to the departmental wiring rules and the latest B. S. or A. I. E. E. specifications and mention should clearly be made of the manufacture and catalogue numbers of the materials offered. The T. W. planks, etc., to be used in the work should be well seasoned and free from cracks, knots and white wood. The minimum width of the plank to be used to boards, etc., should be not less than 12 inches unless it is to make up the difference in size of the board required. In all cases lap joints should be adopted. In no case joints would be permitted to be put up diagonally for the boards.

5. The undersigned reserves the right to reject the tenders without assigning any reasons therefor.

6. The successful tenderer will be required to deposit an earnest money of Rs. 60 (sixty) and Rs. 45 (forty-five) respectively, in cash and execute an agreement within a week from the date of intimation as to the acceptance of the tender, failing which the tender will be disposed of otherwise at his risk.

7. In executing the work, the wiring rules of the Department as well as those of the Institution of Electrical Engineers should be strictly followed.

9. The control switches, etc., should be fixed in inconspicuous corners and grouped. The successful tenderer should be prepared to carry out any changes in the location of the lighting fixtures, control points, etc., that might be suggested by the undersigned, during the course of work, without any extra cost, if the estimate is not materially affected by such deviations. The undersigned reserves the right also to reject the work in full or part if he finds the work not executed in terms of the specification.

9. The successful tenderer should send a board fitted with samples of all the materials offered in connection with the work to the undersigned and start the work only after obtaining approval for use of the same on the work.

10. It will be obligatory on the part of the tenderer to attend to any major troubles that might develop due to bad workmanship in cable joints, etc., within the period of first twelve months from the date of handing over the installation to this department, free of any charges.

11. *Name of work.*—Installing electric lights, etc., to (1) Railway Station at Hole-Narsipur Town and (2) Platform at Hole-Narasipur Railway Station.

12. The last date and time for receiving the tenders is 15th August 1938 at 3 P.M.

13. The time and date for opening the tenders in public is 15th August 1938 at 4 P.M.

14. A period of one calendar month is the time within which the work is expected to be completed in all respects from the date of acceptance of the tender, failing which a penalty of Rs. 10 for each day of delay over and above the stipulated period will be enforced.

15. *Details of work.*—The quantities given in the statement attached are not guaranteed and are subject to change during the execution of the work.

Installing electric lights to the Railway Station at Hole-Narsipur Town.

	Particulars	*Quantity*
	Part I—Mains.	
1.	Supplying, fixing and tarring S. M. rails 24 ft. long	No. 2
2.	Do do 2 Pin S. C. A.	„ 3
3.	Do do shackle insulators with straps, etc.	„ 6
4.	Do do guy set with guy rod, anchor and 7 strand guy wire and 6 ft. of 2″ galvanized guard pipe	Set 2 (two)

Sl. No.	Particulars	Quantity
5.	Supplying, fixing and stringing copper wire No. 8 B. & S.	Lbs. 21
6.	Supplying and running mains in ¾" W. I. pipe with bends, clamps, etc., using No. 7/.036 SWG insulated wire and accessories	Ft. 25
7.	Earthing.	Item

Part II—Interior Wiring.

1.	Supplying, fixing and wiring T. W. board 21"×18" × 1" with battens and rear board, equipping with 10 amps. iron clad D. P. switch with fuses using No. 7/.036 insulated wire and accessories	No. 1
2.	Supplying, fixing and wiring in T. W. 2 way 2"×1" casing treated with 2 coats of shellac varnish for drop lights complete with reinforced two-plate bakelite ceiling rose flexible cord, B. C. C. G. reinforced bakelite lamp holder, 5 amp. control switch with reinforced bakelite cover, using No. 3/.029 SWG insulated wire and accessories	No. 2
3.	Supplying, fixing and wiring for oxidised copper bracket 6"×½" with B. C. lamp holder, etc., as per specification above	No. 3
4.	Supplying, fixing and wiring for ⅜" braized silverlac conduit pendants 2 to 4 ft. long complete with stout ceiling plate B. C. lamp-holder, etc., as per specification above	No. 3
5.	Supplying, fixing and wiring in T. W. 2 way 2"×1" casing treated with two coats of shellac varnish for W. T. fitting complete with cast iron reflector well glass, B. C. lamp holder, goose-neck, etc., as per specification	No. 1
6.	Supplying and fixing shades tin enamelled 10"×5"	,, 4
7.	Do white opal 10"	,, 4
8.	Supplying and fixing lamps 40/60 watts, 230 volts, B. C. gas filled	,, 9

Part III—Installation of an Overhead Light near the Latrine.

1.	Supplying and fixing T. W. Block 9"×6" with battens and rear board, equipping it with a D. P. linked switch 5 amps. protected by a pair of bow cut-outs, using No. 3/.029 SWG insulated wire using necessary casing and accessories	No. 1
2.	Supplying and fixing 2 pin outrigger complete with bolts, distant pieces and accessories	,, 1
3.	Supplying, fixing and tarring S. M. rails 24' long	,, 2
4.	Do do 2 pin S. C. A. complete	,, 2
5.	Do do shackle insulators with straps, etc.	,, 4
6.	Do do guy set complete with guy rod, anchor and 7 strand guy wire with 6' guard pipe 2" diameter	Set 1
7.	Supplying and stringing copper wire No. 8 B. & S.	Lbs. 16
8.	Supplying, fixing and wiring on a ½" galvanised pipe bracket complete with clamp, etc., dispersive reflector 14" with B. C. lamp holder using No. 3/.029 SWG insulated wire and accessories	No. 1
9.	Supplying and fixing lamps 60 watts, 230 volts, B. C. gas filled	,, 1

Part IV—Installation of Lights to the Platform at Hole-Narsipur Town Railway Station.

1.	Supplying, fixing and wiring one 15 amps. D. P. ironclad switch with fuses on the board available, using No. 7/.036 SWG. insulated wire and accessories	One
2.	Supplying and running mains in two way 2"×1" teak wood casing treated with 2 coats of shellac varnish using No. 7/.036 SWG. insulated wire and accessories	50 ft.
3.	Supplying and laying No. 7/.036 SWG. twin conductor, paper insulated, lead covered, double steel tape armoured, jute served, underground cable in a trench 3 ft. deep surrounding the same with 3" of fine sand enclosing the ends in a cast iron indoor type junction box filled with insulating compound, and the position of the cable running across the verandah in sufficient length of 1½" galvanised pipe, using necessary accessories	310 ft.

Sl. No.	Particulars	Quantity
4.	Supplying, fixing on cement concrete foundation and wiring ornamental lamp post fluted type complete with Novalux fixture, B. C. lamp-holder 16"×8" opal spherical globe, etc., and controlled by a S. P. tumbler switch 5 amps. mounted at the base of the lamp stand and protected by a 5 amps. fuse unit, using No. 3/·029 SWG. twin conductor L. C. cable, necessary junction boxes and accessories. (The cable joint should be enclosed in a lead sleeve of adequate diameter and plumbed) ..	.. No. 3
5.	Supplying and fixing lamps 230 volts, B. C. 150 watts	.. „ 3
6.	Earthing	.. Item

M. HAYATH,
Superintendent.

OFFICE OF THE SUPERINTENDING ENGINEER, ELECTRICAL DEPARTMENT BANGALORE.

Abstract Notification dated 13th July 1938.

Attention of the public is hereby invited to the detailed notification, dated the 13th July 1938, calling for tenders for constructing Electrical Buildings at Dodballapur, published in Part VI, pages 1218-1219 of the *Mysore Gazette*, dated the 21st July 1938. The last date for receiving the tenders is 8th August 1938.

L. A. H. WINCKLER,
Superintending Engineer.

GOVERNMENT A. D. HOSTEL, KOLAR.

Tender Notification No. 38—38-9, dated the 25th July 1938.

1. Notice is hereby given that sealed tenders with samples will be received by the President, Government A. D. Hostel, for the supply of stationery and other articles required for the use of the Hostel, for the year 1938-39 at the Hostel premises on 12th August 1938 during the Office hours.

2. No tender will be received after 5 P.M. on 5th August 1938.

3. Tenders are to be superscribed "Tender for the supply of Stationery and Miscellaneous articles for the A. D. Hostel, Kolar."

4. Tenderers are required to furnish Rs. 25 as earnest money in cash, or currency notes along with their tenders. No tender will be received unless accompanied with the deposit.

5. Tenders will be opened by the President of the Hostel or any one authorised by him at the Hostel premises. The exact date of the opening of the tenders will be notified to the tenderers who may choose to be present.

6. The Managing Committee of the Hostel reserve the right of rejecting any tender without assigning any reason for such rejection.

7. The successful tenderer should execute the contract bond within seven days, on a stamped paper, from the date of acceptance of the tender, and to bind himself to supply the miscellaneous articles at reasonable market rates within twelve hours of notice, delivery being free at the Hostel, failing which the earnest money will be forfeited to Government and the tenderer will be legally responsible for any loss to the Hostel.

8. The deposits of the unsuccessful tenderers will be refunded.

9. No advance will be paid to the contractors. Payments will be made by the Warden in charge of the Hostel on production of bills by the contractor at the end of each month. Payments will be arranged wherever necessary through audited bills.

10. The contractor should submit his bills in duplicate in English or Kannada in the prescribed form within the 5th of the succeeding month.

11. The contract shall not be sublet.

12. The contractor shall replace all articles rejected by the Warden of the Hostel at the contractor's own cost.

13. The quantities stated in the schedule are only approximate and the contractor should be prepared to supply more or less according to requirements at the same contract rates.

14. If the stipulation of the contract is violated, the President will annul the contract and forfeit the earnest money to Government.

15. The decision of the President shall be final in all matters of infringement of the contract.

16. The supply of all articles shall be free of delivery at the Hostel.